## A Synthesis of 1H-Indazoles via a Cu(OAc)2-catalyzed N-N Bond Formation

<u>Cheng-yi Chen</u>,\*,† Guangrong Tang,‡ Fengxian He,‡ Zhaobin Wang,‡ Hailin Jing‡ and Roger Faessler†

<sup>†</sup>Janssen R&D, Pharmaceutical Development and Manufacturing Sciences, Small Molecule API Switzerland, Cilag AG, Hochstrasse 201, 8205 Schaffhausen, Switzerland <sup>‡</sup>Porton (Shanghai) R&D Center, 1299 Ziyue Road, Zizhu Science Park, Minhang District, Shanghai 200241, China

A facile synthesis of 1*H*-indazoles featuring a Cu(OAc)<sub>2</sub>-catalyzed N-N bond formation using oxygen as the terminal oxidant is described. The reaction of readily available 2-aminobenzonitriles with various organometallic reagents led to *ortho*-aminoaryl N-H ketimine species. The subsequent Cu(OAc)<sub>2</sub>-catalyzed N-N bond formation in DMSO under oxygen afforded a wide variety of 1*H*-indazoles in good to excellent yields.

[1] C.-y. Chen, G. Tang, F. He, Z. Wang, H. Jing, R. Faessler, Org. Lett., 2016, 18, 1690-1693.